

REF · WEB267

Acid Foam

Foaming descaling detergent



DESCRIPTION

Detergent for the elimination of scale deposits caused by hard water and alkali cleanings. Suitable for thorough cleaning of walls, floors, machinery and various installations in the food industry in general. Does not attack aluminium or stainless steel.

DOSAGE AND USE INSTRUCTIONS

It is used diluted in water at 2 - 5 %, depending on the degree of dirt and scaling to be removed, at 20 - 60°C. Let work for a few minutes and rinse with water under pressure afterwards. It can be applied by spraying with foam projection equipment, by immersion or manually.

TECHNICAL DATA

Appearance	Transparent red liquid.
pH (1%)	2.2 +/- 0.5
Density (20°C)	1.09 +/- 0.01 g/ml

MAIN COMPONENTS

Contains anionic surfactants < 5 %, non-ionic surfactants < 5 %. Contains orthophosphoric acid, 4-C10-C13-sec-alkylbenzenesulphonic acids.

PRESENTATION

22 kg, 1000 kg.

USE OR HANDLING PRECAUTIONS

DANGER UN No.: UN3264



DO NOT SWALLOW

H314	Causes severe skin burns and eye damage.
P102	Keep out of reach of children.
P280	Wear protective gloves, clothing and eye protection. In case of inadequate ventilation wear respiratory protection.
P363	Wash contaminated clothing before reuse.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501b	Dispose of contents/container to hazardous or special waste collection point. Do not mix with other chemicals.

Consult the Safety Data Sheet (SDS) before using the product.

MANUFACTURER

Detervic S.A.

Polígon Industrial Can Malloles · Sant Llorenç Desmunts, 32
08500 Vic · Barcelona

ES · CA · EN · FR · PT

DOCUMENT CONTROL

Rev. 3
Issued: 22/06/2023
Page 1 / 1

SALES CONTACT

T. +34 938 891 344
info@instaquim.com
instaquim.com