REF · WEB269

Acid Pro

Acid Pro - Anti-scaling and mineral deposit detergent



DESCRIPTION

Acid descaling detergent. With controlled foam, it is suitable for cleaning in automatic or recirculation (CIP) systems. It quickly and effectively removes limescale caused by water hardness, mineral dirt deposits and residues left by alkaline detergents. It does not attack chromed or enamelled materials, rubber and plastic seals, etc.

DOSAGE AND USE INSTRUCTIONS

Doses from 5 to 10 % for manual application, from 1 to 3% for automatic washing and CIP, from 2 to 5% by immersion. Temperature between 40-70ºC.

TECHNICAL DATA

Appearance	Transparent colourless liquid.
pH (1%)	2.0 +/- 0.5
Density (20ºC)	1.27 +/- 0.01 g/ml

MAIN COMPONENTS

Contains non ionic surfactants < 5 %, orthophosphoric acid.

PRESENTATION

25 kg, 1200 kg.

USE OR HANDLING PRECAUTIONS

DANGER UN No.: UN3264



	DO NOT SWALLOW
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
P102	Keep out of reach of children.
P280C	Wear protective gloves, clothing and eye protection.
P363	Wash contaminated clothing before reuse.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501b	Dispose of contents/container to hazardous or special waste collection point.
	Do not mix with other chemichals.

Consult the Safety Data Sheet (SDS) before using the product.

MANUFACTURER
Detervic S.A.
Polígon Industrial Can Malloles · Sant Llorenç Desmunts, 32
08500 Vic · Barcelona
ES · CA · EN · FR · PT

DOCUMENT CONTROL
Rev. 2
Issued: 02/03/2023

SALES CONTACT
T. +34 938 891 344
info@instaquim.com
instaquim.com