

REF · WEB109

Adiclor

Adiclor - High-Active Chlorine Bleach Substitute



DESCRIPTION

Effective substitute for bleach, with high active chlorine content. Its optimal performance is obtained at temperatures below 60°C.

DOSAGE AND USE INSTRUCTIONS

Dosage ranges from 5 and 10 g per kg of dry clothes, depending on the degree of dirt.

TECHNICAL DATA

Appearance White granular solid.

pH (1%) 10.5 +/- 0.5

Chlorine content aprox. 11%.


MAIN COMPONENTS

Contains polycarboxylates < 5 %, phosphates 5-15 %, chlorine-based bleaching agents 15-30 %, zeolites 5-15%. Troclosene sodium dihydrate.

PRESENTATION

10 kg.

USE OR HANDLING PRECAUTIONS

WARNING UN No.: UN3077


DO NOT SWALLOW

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

EUH031 Contact with acids liberates toxic gas.

P102 Keep out of reach of children.

P280F Wear protective gloves, clothing and eye protection. In case of inadequate ventilation wear respiratory protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical attention.

P273-P391-P501a Avoid release to the environment. Collect spillage. Dispose of contents/container in a safe way.

Warning! Do not use together with other products. May release dangerous gases (chlorine).

Consult the Safety Data Sheet (SDS) before using the product.

MANUFACTURER

Detervic S.A.

Polígon Industrial Can Malloles · Sant Llorenç Desmunts, 32
08500 Vic · Barcelona

ES · CA · EN · FR · PT

DOCUMENT CONTROL

Rev. 10

Issued: 25/04/2023

Page 1 / 1

SALES CONTACT

T. +34 938 891 344

info@instaquim.com

instaquim.com